

Script & Forms

Release 27-05-2021

RELEASE NOTE

Auteur, service et coordonnées de contact	Date	Copie à	Commentaires
Script & Forms	25-05-2021	Click here to enter text.	Click here to enter text.

TABLE OF CONTENT

1. RELEASE	3
2. NEW FEATURES.....	3
2.1. Immediate processing of cohabitant HR contacts without scheduling a call during index patient interview	3
2.2. Display Coronalert « Covicodes » for index patient	7
2.3. Various scripts update	8

1. Release

RELEASE NUMBER		
TYPE		URGENT
APPLICATION	Script & Forms	
VERSION		
DATE ACCEPTATION	26/05/2021	
DATE PRODUCTION	27/05/2021	

2. New features

2.1. Immediate processing of cohabitant HR contacts without scheduling a call during index patient interview

When interviewing an index patient in script 1A, the agent can now decide to treat the cohabitant directly if he or she is available on the phone or to schedule a 2A call.

This option is now available for cohabitants who require PCR codes, quarantine certificates and who are identified as High Risk Contacts.

Use case

- The agent completes the first part of the form with the data of the "cohabitant" contact. If the contact is identified as an HR contact, then the question *"Do you want the interview with your cohabitant to be carried out now?"* is displayed.

Contacts

d'informations sur «équipement de protection approprié», voir FAQ.)

"Cette personne a-t-elle voyagé avec vous pendant plus de 15 minutes dans un moyen de transport quelconque (bus, voiture, train, avion...) et était-elle assise à moins de 2 sièges de vous ?"

i Si la personne répond négativement à toutes les questions, rayez le nom de cette personne.

*«Nous devons informer votre cohabitant des mesures à suivre suite au contact qu'il * a eu avec vous. Si vous le souhaitez, nous pouvons directement effectuer l'entretien téléphonique avec votre cohabitant. Voulez-vous que l'entretien avec votre cohabitant soit effectué maintenant ?»*

Oui

Non, je préfère qu'il soit reprogrammé à un autre moment

i Information à l'agent : Les tickets 2A pour les cohabitants peuvent être créés directement au cours de cet appel. Cela évite qu'ils ne soient rappelés plus tard.

Annuler

Contacts

tara.

Script 2A - Entretien avec un contact à haut risque

Numéro de registre national

11 caractères requis

Q3b "Avez-vous présenté des symptômes du Covid-19, la maladie causée par le coronavirus ?" Les symptômes sont :

Fièvre

Toux

Mal de gorge

Difficulté à respirer

Nez qui coule ou sensation de nez bouché

Perte de l'odorat ou de goût

Maux de tête

Douleurs articulaires ou musculaires

Diarrhée

Q4a Le test de votre cohabitant a bien été réalisé après '4 juin 2021' ou votre cohabitant avait-il encore des symptômes après le '22 mai 2021'

Oui

Non

- Agent may decide to interview the cohabitant directly or not and so reschedule a contact with them at another time
- In case the cohabitant is available, the following additional information will be requested from the cohabitant
 - His/her National Register Number
 - The same logic of questions as Script 2A to determine rules to follow :
 - Symptoms : yes/no
 - Strict isolation : yes/no
 - Advice with rules to follow
 - Isolation address (automatically pre-filled with index patient's address)
 - Questions about vaccination
 - Questions about CoronAlert app
- after adding the contact, mention "no scheduled calls" will be displayed next to the first and last name

Business Rules

- The “cohabitant treated without call”, will be triggered AFTER the successful submission of ticket 1A
- There will be 10 minutes between the submission of the 1A and the creation of the 2A form, in order to update the event log and the linked tickets correctly.
- At this time, Camunda will do a check if the contact is already known as index patient or High Risk Contact following the current rules.
 - If the contact does not yet exist in the system, then a 2A ticket will be created and automatically closed with the wrap-up code “success” (and without scheduling a call in Genesys). The contact will receive his/her PCR codes by SMS and his quarantine certificate
- After 1A ticket submission : agent can no longer modify the contact data inside the 1A. If the agent wants to edit the data, he/she must be able to find the "2A House member" ticket created from the advanced search (via the NISS of the contact or linked ticket).

Identify “cohabitant” 2A script

In order to identify “automatically closed 2A tickets for cohabitants”, the following actions will be taken:

- The prefix “H” will be added to ticket number. e.g : “H31000000414301”
- Mention “*House member with no call*” will be displayed on top of these 2A scripts

Linked ticket

Camunda will automatically add the Index patient phone number as secondary number for the cohabitant treated directly. This way there’s a guarantee that the ticket will be visible under ‘linked tickets’ view (also there will also always be a phone number for the contact, even if the agent only fills in address info).

2.2. Display Coronalert « Covicodes » for index patient

In order to anonymously notify their contacts of his infection in the application, an index patient can receive an activation code (Covicodes) during the call 1A.

Use case

- Addition of the new question “Q11F” - *Do you want to add your positive test result to the Coronalert app to anonymously notify your contacts that you are infected with the Covid19 virus?*
- If the answer is yes, the agent can generate a unique 12-digit code that can be communicated by telephone to the citizen

Important :

- Citizens must have updated their application to access this feature
- This code is only valid for 20 minutes after its generation.
- it is therefore advisable that the citizen enters the code in his application directly during the call
- The validity period of a code is displayed next to it.
- If it is no longer valid :
 - an error message will be displayed
 - the agent can regenerate a new code

Non

Q11f *“Voulez-vous ajouter votre résultat de test positif dans l'application Coronalert afin d'avertir anonymement vos contacts que vous êtes infecté par le virus Covid19 ?”*

i Certaines personnes ne reçoivent pas leur résultat de test dans Coronalert. Ceci dû à un(e) oubli/erreur d'utilisateur ou personnel soignant, ou bien dû à un souci technique. Si le résultat de test est positif, une conséquence est que cette personne ne pourra pas avertir ses contacts via l'application.

Afin de proposer une solution à ce problème, nous proposons au cas index ayant utilisé Coronalert dans les derniers jours d'ajouter leur résultat de test afin de quand même pouvoir avertir anonymement ses contacts.

Pour ajouter un résultat test positif dans Coronalert, l'utilisateur doit cliquer sur « Vous êtes positif et souhaitez informer vos contact de manière anonyme ». Il/elle doit ensuite entrer un code de 12 chiffres donné par le call center. Ceci permettra ensuite à l'utilisateur d'avertir ses contacts. L'intervention manuelle par l'utilisateur est nécessaire vu que l'application est anonyme. Ce code n'est valable que 20 minutes. Conseillez donc à votre interlocuteur d'entrer le code pendant l'appel ou juste après l'appel.

Oui
 Non

Covi-Code: 3278 9919 2546
Expire dans: 08:19

Générer Covi-Code

Q11a *“Avez-vous utilisé l'application Coronalert pour avertir anonymement vos contacts proches que vous êtes infecté*

2.3. Various scripts update

Add new type of symptoms

- nausea, vomiting and fatigue
- in script 1A, 2A, 2C, 2D, 2E

Add support to book test

- In Advices of script 2E, addition of the same text as in 3B in order to help the citizen to book a test

Ask the person on whether they need support during their quarantine

- In script 2E, addition of information for agent at the end of the script as well as the “need for help” area in the left column to indicate if a person needs additional support during their quarantine

Add new reason of non-collaboration “no travel to Belgium”

- In script 2E, add the option “the trip to Belgium did not take place ” in Q2

Change Low Risk Contact definition

- In script 1A, clarification of the low risk contact definition

Ask why the person has made an autotest

- In Script 2D, add new question “*Why did you do this self-test?*” to check if citizen use it properly.